

Universität Ulm
Fakultät für Informatik



**On Sets Turing Reducible
to P-Selective Sets**

Hans-Jörg Burtschick

TU-Berlin

Wolfgang Lindner

Universität Ulm

Nr. 95-09

Ulmer Informatik-Berichte

August 1995

0
QAA 5
A 4.95,9

On Sets Turing Reducible to P-Selective Sets

Hans-Jörg Burtschick
TU - Berlin, Fachbereich Informatik
Franklinstr. 28/29
D-10587 Berlin

Wolfgang Lindner
Universität Ulm, Abt. Theor. Informatik
Oberer Eselsberg 3
D-89069 Ulm

Abstract

We consider sets Turing reducible to p-selective sets under various resource bounds and restricted number of queries to the oracle. We show that there is a hierarchy among the sets polynomial-time Turing reducible to p-selective sets with respect to the degree of a polynomial bounding the number of adaptive queries used by a reduction. We give a characterization of $EXP/poly$ in terms of exponential-time Turing reducibility to p-selective sets. Finally we show that EXP can not be reduced to the p-selective sets under 2^{in} time reductions with at most n^k queries for any fixed $k \in \mathbb{N}$.

1 Introduction

Selman [13] introduced p-selective sets as a polynomial time analogue to the semirecursive sets as studied by Jockusch [8]. Roughly speaking, a set is p-selective if there is a polynomial-time procedure which decides for a pair of strings which of them is “more likely” to be in the set. Selman used p-selective sets to show that polynomial-time Turing reducibility and many-one reducibility differ on NP, unless $E = NE$.

Since then much attention has been paid to sets reducible to p-selective sets under various polynomial-time reducibilities. This extends a long line of research of sets reducible to sets of low density, such as tally and sparse sets (for a survey, see [16]). Toda [15] showed various collapses under the assumption that all sets in certain complexity classes are truth-table reducible to some p-selective set. In particular, he showed that if each set in UP is truth-table reducible to some p-selective set then $P = UP$ and if each set in Δ_2^P is truth-table reducible to some p-selective set then $P = NP$. Recently it has been shown that if each set in NP is truth-table reducible to some p-selective set then $P = NP$ [1, 4, 12]. A rather detailed examination of the relationships between sets reducible or equivalent to the p-selective sets under various reducibilities

has been given by Hemaspaandra et al.[6]. For a survey on results concerning p-selective sets we refer to [5]

Here we concentrate on sets Turing reducible to p-selective sets. We start by showing that there is a proper hierarchy between the $P_{tt}(P\text{-sel})$ and $P_T(P\text{-sel})$ with respect to the degree of a polynomial bounding the number of adaptive queries to some p-selective oracle. The proof is by diagonalization based on a simple fact concerning the number of sets selected by a single selector-function.

Selman [13] showed that each tally set is polynomial-time Turing reducible to some p-selective set. Ko [9] showed that the p-selective sets are contained in the nonuniform advice class $P/poly$ which in turn is precisely the class of sets polynomial-time Turing reducible to some tally set. Hence $P/poly$ can be characterized by the sets polynomial-time Turing reducible to some p-selective set. In Section 4 we address the question whether a similar characterization of the classes $EXP/poly$ and E/lin can be given. It should be mentioned that a characterization of $EXP/poly$ via tally sets is impossible since *every* set is already exponential-time many-one reducible to some tally set, namely its tally version where each instance is encoded in unary. However, we can show that $EXP/poly$ is precisely the class of sets which are exponential-time Turing reducible to some p-selective set using at most polynomially many adaptive queries. Furthermore we show that a set which is Turing reducible in time $O(2^{lin})$ to some p-selective set using at most linearly many queries is contained in E/lin . Here the converse fails. Concerning the non-uniform complexity of p-selective sets via linear-length advices there is a recent result by Hemaspaandra and Torenvliet showing $P\text{-sel} \subseteq NP/lin \cap coNP/lin$ [7].

The proofs are based on an observation which informally can be stated as follows: Suppose that V is a finite set and we know the number of strings in $A \cap V$ for some p-selective set A . Then we can decide whether x is in A for each string in V , by simply counting the strings in V that are “more likely” than x in A . We apply this observation to sets Turing reducible to p-selective sets considering various resource bounds. We thereby obtain a close relation between the number of oracle queries to some p-selective set and the length of the advice needed to decide a set reducible to some p-selective set nonuniformly.

In Section 5 we consider the relationship of (uniform) exponential-time complexity classes and sets Turing reducible to some p-selective set. It is an open question whether EXP is included in $P/poly$. Regarding the characterization of $P/poly$ in terms of sets polynomial-time Turing reducible to some p-selective set it is natural to ask whether one can settle the relationship between subclasses of $P/poly$ and EXP , where these subclasses are obtained from restricting the access to some p-selective oracle. In fact, Toda [15] showed that EXP is not included in the class of sets polynomial-time truth-table reducible to some p-selective set. Here we extend this result to sets Turing reducible to some p-selective set where the reduction may use at most $q(n)$ *adaptive* queries for every *fixed* polynomial $q(n)$.

2 Preliminaries

We write \mathbb{N} to denote the set of nonnegative integers. A *string* is a finite sequence of characters over the two letter alphabet $\Sigma = \{0, 1\}$. We write Σ^* for the set of all strings including the empty string and $|x|$ for the length of a string $x \in \Sigma^*$. We use $\|A\|$ to denote the cardinality of a finite set A . Let $A^{\leq n}$ denote the set of strings in A of length at most n . $A^{=n}$ is the set of strings in A of length n . A *tally* set is a set $A \subseteq \{0^n : n \in \mathbb{N}\}$. Let TALLY denote the class of all tally sets.

We use deterministic-, nondeterministic- and oracle Turing machines and other notions of complexity theory, as can be found in [2]. We are especially interested in the following deterministic time complexity classes $P = \bigcup_{k \in \mathbb{N}} \text{DTIME}(n^k)$, $E = \bigcup_{c \in \mathbb{N}} \text{DTIME}(2^{cn})$ and $\text{EXP} = \bigcup_{k \in \mathbb{N}} \text{DTIME}(2^{n^k})$.

A set A is *Turing reducible* to a set B if there exists an oracle Turing machine such that $A = L(M, B)$. A *query tree* of an oracle Turing machine M on input x is a binary tree in which the nodes are labeled with all possible queries M can ask on input x , i.e. the root is labeled with the first query, and for each internal node corresponding to a query q , the left (resp. right) successor corresponds to the next query M asks with a positive (resp. negative) answer on q . For a time bound $t(n)$ and a class of sets \mathcal{C} , let $\text{DTIME}(t(n))_{\mathcal{T}}(\mathcal{C})$ denote the class of all sets that are Turing reducible to some set in \mathcal{C} via a $t(n)$ time bounded oracle Turing machine. For a function $q : \mathbb{N} \rightarrow \mathbb{N}$ let $\text{DTIME}(t(n))_{q(n)-\mathcal{T}}(\mathcal{C})$ denote the class of all sets in $\text{DTIME}(t(n))_{\mathcal{T}}(\mathcal{C})$ where the oracle Turing machine asks at most $q(n)$ queries on every path of the query tree. We extend this notation to complexity classes and function classes, for example as $P_{q(n)-\mathcal{T}}(\mathcal{C})$, $P_{\text{lin}-\mathcal{T}}(\mathcal{C})$, $P_{\text{poly}-\mathcal{T}}(\mathcal{C})$ etc.

Throughout a computation an oracle Turing machine may ask queries which depend on the answers to previously asked queries. These kind of queries are called *adaptive* queries. In contrast, a set A is *truth-table reducible* to a set B if there exists an oracle Turing machine M such that $A = L(M, B)$ and all queries asked by M are nonadaptive, i.e. do not depend on the answers to previously asked queries. For a time bound $t(n)$ and a class of sets \mathcal{C} , let $\text{DTIME}(t(n))_{\text{tt}}(\mathcal{C})$ denote the class of all sets that are truth-table reducible to some set in \mathcal{C} via a $t(n)$ time bounded oracle Turing machine asking only nonadaptive queries.

All time bounds and functions bounding the number of queries are assumed to be monotonic increasing and time constructible.

3 A hierarchy between polynomial-time truth-table and Turing reducibility to p-selective sets

We show that there is a proper hierarchy between the class $P_{\text{tt}}(\text{P-sel})$ and $P_{\mathcal{T}}(\text{P-sel})$ with respect to the degree of a polynomial bounding the number of queries to some p-selective oracle. First we briefly review the definition and a standard construction of p-selective sets from [13].

Definition 3.1 ([13]). A set $A \subseteq \Sigma^*$ is *p-selective* if there is a polynomial-time computable function $f : \Sigma^* \times \Sigma^* \rightarrow \Sigma^*$ such that for all strings $x, y \in \Sigma^*$,

1. $f(x, y) = x$ or $f(x, y) = y$, and
2. if $x \in A$ or $y \in A$, then $f(x, y) \in A$

A function f fulfilling Conditions (i) and (ii) is called a *p-selector* for A .

Let $P\text{-sel}$ denote the class of all p -selective sets. It immediately follows from the definition that every set in P is p -selective. On the other hand, Selman [13] showed that for every tally set there exists a polynomial-time Turing equivalent p -selective set. Hence there are arbitrarily difficult p -selective sets. The proof of this fact makes use of a subclass of the p -selective sets, namely the class of *standard leftcuts* with respect to an infinite binary sequence (cf. [13, 9]). Recall that the dictionary ordering of binary strings over the alphabet $\{0, 1\}$ can be defined as follows: $0 < 1$, and for $x = x_1 \dots x_m$, $y = y_1 \dots y_n$, $x < y$ iff (i) $m = n$ and $(\exists i \leq m)(\forall j < i)[x_j = y_j \ \& \ x_i < y_i]$, or (ii) $m < n$ and $x \preceq y_1 \dots y_m$, or (iii) $m > n$ and $x_1 \dots x_n \preceq y$. The standard leftcut L_α with respect to an infinite binary sequence α is the set of strings x which are less than or equal to the initial segment of α of length $|x|$.

Proposition 3.2 ([13]). *Every standard leftcut is p -selective.*

Proof. Every standard leftcut is selected by the p -selector $f(x, y) = x$ if $x \preceq y$ else y . \square

We go on to consider sets reducible to some p -selective set. It is known that $2^k - 1$ nonadaptive queries to some p -selective set can be simulated by k adaptive queries of a polynomial-time bounded oracle Turing machine. A proof of this fact can be found in [6]. Though it is stated there only for a constant number of queries it can be easily generalized to the case where the nonadaptive queries are bounded only by the running time of the reduction.

Proposition 3.3 ([6]). $P_{tt}(P\text{-sel}) = P_{O(\log n)\text{-}T}(P\text{-sel})$.

We next show a hierarchy theorem among the sets polynomial-time Turing reducible to some p -selective set with respect to the number of adaptive queries used by the reduction. In the case of constant number of queries Hemaspaandra et al. [6] showed a tight hierarchy theorem: $P_{k\text{-}T}(P\text{-sel}) \subset P_{k+1\text{-}T}(P\text{-sel})$, $k \geq 1$. They use a construction of p -selective sets introduced by Naik et al. [11]. If the number of queries depends on the length of the input we get a less tight hierarchy. The constructed set will be reducible to some p -selective leftcut. We isolate the combinatorial part of the diagonalization in the following lemma (cf. [6]).

Lemma 3.4. *Let f be a P -selector and V a finite set of strings. Then*

$$|\{W \subseteq V : f \text{ selects } W\}| \leq \|W\|.$$

Proof. Suppose that there are more than $\|W\|$ subsets of W which are selected by f . Hence among these sets there exists distinct sets $W_1, W_2 \subseteq W$ with the same cardinality. That is, for some $x_1, x_2 \in W$, $x_1 \in W_1 - W_2$ and $x_2 \in W_2 - W_1$. It follows that $f(x_1, x_2)$ cannot select both of W_1 and W_2 , \square

Proposition 3.5. $P_{n^{\frac{k}{2}}-T}(\text{P-sel}) \subset P_{n^{\frac{k+1}{2}}-T}(\text{P-sel})$, $k \geq 1$.

Proof. Let M_0, M_1, \dots be an enumeration of all polynomial-time oracle machines asking at most $n^{\frac{k}{2}}$ queries on an input of length n . Let f_0, f_1, \dots be an enumeration of all polynomial-time transducers such that $f(x, y) \in \{x, y\}$.

Let $\mu(s) = 2^{s+4}$, and let F_n denote the lexicographically first $n^{\frac{k}{2}} + (k+1) \cdot \log(n)$ strings of length n .

We will construct a set A in stages. The set A will consist only of strings of $F_{\mu(s)}$, $s \geq 0$. In stage $s = \langle i, j \rangle$, we will satisfy the following requirement:

(R_s) for any set B which is selected by f_j , A is not accepted by M_i with oracle B .

The construction proceeds as follows. Let A' denote the set of strings put into A prior to stage s . Let $n = \mu(s)$ and Q_n be the set of all queries in the query-tree of M_i on all inputs $x \in F_n$. Then $\|Q_n\| \leq n^{\frac{k}{2}} + (k+1) \cdot \log(n) \cdot 2^{n^{\frac{k}{2}}}$. By Lemma 3.4, there exist at most $\|Q_n\|$ subsets of Q_n which are selected by f_j . Hence M_i can agree on at most $(n^{\frac{k}{2}} + (k+1) \cdot \log(n)) \cdot 2^{n^{\frac{k}{2}}} < n^{k+1} \cdot 2^{n^{\frac{k}{2}}} = 2^{n^{\frac{k}{2}} + (k+1) \cdot \log(n)}$ subsets of F_n with some oracle selected by f_j . But there are $2^{n^{\frac{k}{2}} + (k+1) \cdot \log(n)}$ distinct subsets of F_n . Hence there exists some (smallest) set $D_n \subseteq F_n$ which cannot be accepted by M_i with any oracle selected by f_j . Setting $A = A' \cup D_n$ we thus established (R_s) .

It remains to show that A is Turing reducible to some p-selective set with at most $n^{\frac{k+1}{2}}$ adaptive queries. Let d_n , for $n = \mu(s)$, the string of length $n^{\frac{k}{2}} + (k+1) \cdot \log(n)$ denoting the (finite) characteristic function of D_n in the construction of A in stage s . Define a p-selective set B to be the leftcut with respect to the infinite sequence $d_{\mu(0)}d_{\mu(1)}d_{\mu(2)}\dots$. The membership of some x of length $n = \mu(s)$ in A is fixed by d_n . It thus suffices to reconstruct d_n from the oracle B . By prefix search, this requires at most $\sum_{i=4}^{\log(n)} (2^i)^{\frac{k}{2}} + (k+1) \cdot i \leq \log(n) \cdot n^{\frac{k}{2}} + (k+1) \cdot \log^2(n) \leq \sqrt{n} \cdot n^{\frac{k}{2}} = n^{\frac{k+1}{2}}$ adaptive queries. \square

The announced hierarchy between $P_{tt}(\text{P-sel})$ and $P_T(\text{P-sel})$ now follows as a corollary.

Corollary 3.6. 1. $P_{tt}(\text{P-sel}) \subset P_{n-T}(\text{P-sel})$.

2. $P_{n^k-T}(\text{P-sel}) \subset P_{n^{k+1}-T}(\text{P-sel})$, $k \geq 1$.

3. $P_{n^k-T}(\text{P-sel}) \subset P_T(\text{P-sel})$, $k \geq 1$.

4 Exponential-time advice classes

We consider the nonuniform complexity of sets Turing reducible to p-selective sets in terms of advice classes. As the main result we obtain a characterization of EXP/poly in terms of reducibility to p-selective sets.

Definition 4.1. An *advice function* is a function $h : \mathbb{N} \rightarrow \Sigma^*$. For a function $q : \mathbb{N} \rightarrow \mathbb{N}$, let $ADV(q(n))$ denote the set of all advice functions h with $|h(n)| \leq q(n)$ for all $n \in \mathbb{N}$. For functions $t, q : \mathbb{N} \rightarrow \mathbb{N}$, the *advice class* $DTIME(t(n))/ADV(q(n))$ is the class of sets B for which there exists a set $A \in DTIME(t(n))$ and an advice function $h(n) \in ADV(q(n))$ such that $B = \{x : \langle x, h(|x|) \rangle \in A\}$.

Using Definition 4.1 we can redefine $P/poly$ as $\bigcup_{k \in \mathbb{N}} DTIME(n^k)/ADV(n^k)$. Additionally we consider the advice classes E/lin and $EXP/poly$ which can be defined similarly.

The following lemma is the key observation which leads to all subsequent results of this paper.

Lemma 4.2. *Let A be a p -selective set with selector-function f . Let V a finite set of strings. Then for each $x \in V$, $x \in A$ if and only if $\|\{x' : x' \in V \text{ and } f(x, x') = x'\}\| \leq \|A \cap V\|$.*

Proof. Fix a string $x \in V$. First assume that x is in A . By the definition of a p -selector, $f(x, x') = x'$ implies $x' \in A$. Therefore, the number of strings x' in V for which $f(x, x') = x'$ is at most $\|A \cap V\|$. If x is not in A , then for all x' in A , $f(x, x') = x'$. Additionally, $f(x, x) = x$. Hence for more than $\|A \cap V\|$ strings x' in V it holds that $f(x, x') = x'$. \square

Consider a p -selective set A and a p -selector f for A . Let the advice be the binary representation of the number of strings in A of length n . Then the length of the advice is at most $n + 1$. By Lemma 4.2, for each string x of length n , the membership of x in A can be decided with the help of the advice by counting the strings x' of length n for which $f(x, x') = x'$. Since f is polynomial-time computable, this can be done in time $O(2^{2n})$. That is, $P\text{-sel} \subseteq DTIME(2^{2n})/ADV(n + 1)$. This argument can be generalized to sets Turing reducible to p -selective sets, whereby we obtain a relationship between the number of oracle queries and the length of the advice.

Lemma 4.3.

$$DTIME(t(n))_{q(n)\text{-}T(P\text{-sel})} \subseteq \bigcup_{k \geq 0} DTIME(t(n)^k \cdot 2^{2q(n)+2n})/ADV(q(n) + n + 1)$$

Proof. Let A be a set Turing reducible to a p -selective set B via a $O(t(n))$ time bounded oracle Turing machine which asks at most $q(n)$ queries on every path of the query tree on some input of length n . Let f be the p -selector for B and assume that f is computable in time $O(n^k)$ for some constant $k \in \mathbb{N}$.

Let $Q_n = \bigcup_{|x|=n} Q(x)$ where $Q(x)$ denotes the set of all queries in the query-tree of M on an input x . Define the advice function $h : \mathbb{N} \rightarrow \Sigma^*$ to be the binary representation of $\|B \cap Q_n\|$. Thus the length of $h(n)$ is less or equal to $q(n) + n + 1$.

For a string x of length n , we decide $x \in A$ by the following algorithm. First generate a list of all queries $q \in Q_n$ by traversing the query trees of M for all inputs of length n . In order to avoid counting a single query more than once in

the following step, eliminate multiple occurrences of queries in this list. Now simulate M on x . Whenever M asks a query q , count the strings q' in the list such that $f(q, q') = q'$. If this number is less or equal to $h(n)$, continue with the answer "YES", otherwise continue with "NO". Accept if and only if M accepts x .

By Lemma 4.2, we always continue with the correct answer. Therefore, we accept x iff $x \in A$. To compute the list of all queries in Q_n , we have to generate successively $Q(x)$ for all x of length n . This can be done in time $O(2^n \cdot 2^{q(n)} \cdot t(n))$. Eliminating multiple occurrences of queries in this list requires additionally time $O((2^n \cdot 2^{q(n)})^2 \cdot t(n))$. To determine the answer for a query q , we have to compute the p-selector f on at most $2^n \cdot 2^{q(n)}$ strings of length less or equal to $t(n)$. Since f is computable in time $O(n^k)$, this requires time $O((t(n))^k \cdot 2^n \cdot 2^{q(n)})$. We conclude that the whole algorithm runs in time $O(t(n)^k \cdot 2^{2q(n)+2n})$. \square

Applying Lemma 4.3 and the standard leftcut construction we obtain the characterization of EXP/poly .

Theorem 4.4. $\text{EXP}_{\text{poly-T}}(\text{P-sel}) = \text{EXP}/\text{poly}$

Proof. By Lemma 4.3, $\text{EXP}_{\text{poly-T}}(\text{P-sel}) \subseteq \text{EXP}/\text{poly}$. To see the inverse inclusion let A be accepted by an exponential-time Turing machine M with the advice function h . Define an infinite binary sequence $\alpha = \overline{h(0)01h(1)01} \dots$, where \overline{x} denotes the string x with each bit doubled. In order to decide $x \in A$ with the p-selective leftcut L_α , first compute $\overline{h(0)01h(1)01} \dots \overline{01h(|x|)}$ from L_α by prefix search. Then simulate M with input x and the advice $h(|x|)$. Since the length of $h(|x|)$ is polynomially bounded, both the number and the length of the queries are bounded by some polynomial. It follows that $h(|x|)$ can be obtained from the oracle L_α in polynomial-time. Hence the whole algorithm runs in exponential-time. \square

Remark 4.5. Note that in the above proof the queries used by the exponential-time reduction are polynomially length bounded. Thus it follows from Theorem 4.4 that every set in $\text{EXP}_{\text{poly-T}}(\text{P-sel})$ can be exponential-time Turing reduced to some p-selective set where *both* the number and the length of the queries are polynomially bounded.

A characterization similar to Theorem 4.4 fails for E/lin . Adapting a proof in [3], we show that $\text{E}_{\text{lin-T}}(\text{P-sel})$ is properly included in E/lin . In the proof we use a Kolmogorov-random sequence. For the definition of Kolmogorov complexity and related facts we refer to [10].

Theorem 4.6. $\text{E}_{\text{lin-T}}(\text{P-sel}) \subset \text{E}/\text{lin}$

Proof. The inclusion $\text{E}_{\text{lin-T}}(\text{P-sel}) \subseteq \text{E}/\text{lin}$ follows from Lemma 4.3. Moreover, replacing $Q_n = \bigcup_{|x|=n} Q(x)$ by $Q_{\leq n} = \bigcup_{|x|\leq n} Q(x)$ in the proof of Lemma 4.3 we see that for a set in $\text{E}_{\text{lin-T}}(\text{P-sel})$ all strings up to length n can be decided in exponential-time with an advice of linear length. This implies that the Kolmogorov complexity of all initial segments of the characteristic sequence up to strings of length n is at most linear in n .

Now consider a binary Kolmogorov random infinite sequence ρ . That is, a sequence such that the Kolmogorov complexity of its prefixes is at least linear in the length of the prefixes infinitely often. We define a set A which contains at most the first n strings of length n . Let x be the lexicographically i -th string, $i \leq n$, of length n . Then $x \in A$ if and only if the $(\frac{n(n-1)}{2} + i)$ -th bit of ρ is 1. That is, we divide ρ into consecutive subsequences of length $1, 2, \dots, n, \dots$ and the n -th subsequence of length n denotes the membership of the first n strings of length n in A . It follows that A is in E/lin . We use a prefix of length n^2 of ρ to define A up to strings of length n . Hence the Kolmogorov complexity of the prefixes of the characteristic sequence of A up to strings of length n is at least quadratic in n infinitely often. Thus A is not in $E_{lin-T}(P\text{-sel})$. \square

Remark 4.7. Throughout this paper we consider only *bounded* query reductions to p-selective sets. The reason is that if we do *not* restrict the number of queries, then *every* set is reducible in linear exponential time to p-selective sets. In order to see that, fix any set A . Then A can be many-one reduced in linear exponential-time to its tally version $tally(A) = \{0^i : s_i \in A\}$, where s_i is the i -th string in the lexicographical ordering on Σ^* . Furthermore, every tally set can be Turing reduced to some p-selective set in polynomial time [13]. Hence A is in $E_m(P_T(P\text{-sel}))$. Since $E_m(P_T(P\text{-sel})) \subseteq E_T(P\text{-sel})$, we conclude that A is in $E_T(P\text{-sel})$.

5 Turing reducibility to p-selective sets and uniform exponential-time complexity

We locate sets Turing reducible to p-selective sets in (uniform) exponential-time classes using Lemma 4.3 and the following proposition.

Proposition 5.1. *Let $f : \mathbb{N} \rightarrow \mathbb{N}$ be a function with $n \leq f(n) < 2^n$. Then $\text{DTIME}(2^{4 \cdot f(n)}) \not\subseteq \text{DTIME}(2^{f(n)})/ADV(f(n))$.*

Proof. Let M_0, M_1, \dots be an enumeration of all Turing machines M_i running in time $i2^{f(n)}$. We will construct a set A in stages. Each stage determines the membership of all strings of length n . In stage n , we will satisfy the following requirement:

(R_n) for any advice function $h \in ADV(f(n))$, A is not accepted by M_n with advice h .

This clearly implies $A \notin \text{DTIME}(2^{f(n)})/ADV(f(n))$. Let A' denote the set of strings put into A prior to stage n . There are at most $2^{f(n)} < 2^{2^n}$ sets of strings of length n which can be accepted by M_n with some advice of length $f(n)$. Since there are 2^{2^n} distinct subsets of Σ^n there is a (smallest) set $D_n \subseteq \Sigma^n$ which is not accepted by M_n with some advice of length $f(n)$. Setting $A = A' \cup D_n$ we thus established (R_n) .

In order to decide $x \in A$ (uniformly) for some string x of length n we only have to determine the set D_n in the above construction. But this can be done in time $O(2^{f(n)} \cdot 2^n \cdot n \cdot 2^{f(n)})$, hence A is in $\text{DTIME}(2^{4 \cdot f(n)})$. \square

Theorem 5.2. Fix $c, k \in \mathbb{N}$. Then

1. $E \not\subseteq P_{cn-T}(\text{P-sel})$
2. $\text{EXP} \not\subseteq E_{n^k-T}(\text{P-sel})$

Proof. (1) By Lemma 4.3, for every $c \in \mathbb{N}$, $P_{cn-T}(\text{P-sel}) \subseteq \text{DTIME}(2^{c'n})/\text{ADV}(c'n)$ for some constant $c' \in \mathbb{N}$. But $E \not\subseteq \text{DTIME}(2^{c'n})/\text{ADV}(c'n)$ by Proposition 5.1. The proof of (2) is similar. \square

Remark 5.3. Theorem 5.2 (1) holds not only for polynomial-time reducibility, but also for super polynomial-time bounds. More precisely, for all $t(n)$ such that, for all $k \in \mathbb{N}$, $t(n)^k \in O(2^n)$, $E \not\subseteq \text{DTIME}(t(n))_{cn-T}(\text{P-sel})$.

6 Conclusion

We showed that there is a hierarchy among the sets Turing reducible to p-selective sets with respect to the degree of the polynomial bounding the number of adaptive queries used by a reduction. Furthermore, we gave a characterization of EXP/poly in terms of Turing reducibility to p-selective sets.

Furthermore, we extended Toda's result $\text{EXP} \not\subseteq P_{tt}(\text{P-sel})$ to $\text{EXP} \not\subseteq E_{n^k-T}(\text{P-sel})$ for every fixed $k \in \mathbb{N}$. Wilson [14] constructed an oracle relative to which EXP^{NP} (and hence EXP) is included in $P/\text{poly} = P_T(\text{P-sel})$. Thus our separation seems to be the best possible without using nonrelativizing techniques. However, since $\text{EXP} \subseteq P/\text{poly}$ if and only if $\text{EXP}/\text{poly} \subseteq P/\text{poly}$, our characterization might shed some light on the $\text{EXP} \subseteq P/\text{poly}$ question.

References

- [1] M. Agrawal and V. Arvind. Polynomial time truth-table reductions to p-selective sets. In *Proc. 9th Structure in Complexity Theory*. 1994.
- [2] J. L. Balcázar, J. Diaz, and J. Gabarró. *Structural complexity I*. EATCS Monographs on Theoretical Computer Science. Springer, 1988.
- [3] J. L. Balcázar and U. Schöning. Logarithmic advice classes. *Theoretical Comp. Sci.*, 99:279–290, 1992.
- [4] R. Beigel, M. Kummer, and F. Stefan. Approximable sets. In *Proc. 9th Structure in Complexity Theory*. 1994.
- [5] D. Denny-Brown, Y. Han, L. A. Hemaspaandra, and L. Torenvliet. Semi-membership algorithms: Some recent results. *SIGACT News*, 25(3):12–23, 1994.
- [6] L. Hemaspaandra, A. Hoene, and M. Ogihara. Reducibility classes of p-selective sets. to appear in *Theoretical Computer Science*.
- [7] L. A. Hemaspaandra and L. Torenvliet. Optimal advice. to appear in *Theoretical Computer Science*.

- [8] C. G. Jockusch. Semirecursive sets and positive reducibility. *Trans. Amer. Math. Soc.*, 131:420–436, 1968.
- [9] Ker-I Ko. On self-reducibility and weak P-selectivity. *J. Comput. System Sci.*, 26:209–221, 1983.
- [10] M. Li and P. Vitányi. *An Introduction to Kolmogorov Complexity and its Applications*. Springer-Verlag, 1993.
- [11] A. V. Naik, M. Ogiwara, and A. L. Selman. P-selective sets, reducing search to decision vs. self-reducibility. In *Proc. 8th Structure in Complexity Theory*. 1993.
- [12] M. Ogiwara. Polynomial-time membership comparable sets. In *Proc. 9th Structure in Complexity Theory*. 1994.
- [13] A. L. Selman. P-selective sets, tally languages and the behavior of polynomial time reduceibilities on NP. *Math. Systems Theory*, 13:55–65, 1979.
- [14] C. B. Wilson. Relativized circuit complexity. *J. Comput. System Sci.*, 31:169–181, 1985.
- [15] S. Toda. On polynomial-time truth-table reducibility of intractable sets to p-selective sets. *Math. Systems Theory*, 24:69–82, 1991.
- [16] P. Young. How reductions to sparse sets collapse the polynomial-time hierarchy: A primer. *SIGACT News*, 1992. Part I (#3 pp. 107-117), Part II (#4, pp. 83-94), and Corrigendum (#4 p. 94).

Liste der bisher erschienenen Ulmer Informatik-Berichte
Einige davon sind per FTP von <ftp.informatik.uni-ulm.de> erhältlich
Die mit * markierten Berichte sind vergriffen

List of technical reports published by the University of Ulm
Some of them are available by FTP from <ftp.informatik.uni-ulm.de>
Reports marked with * are out of print

- 91-01 *Ker-I Ko, P. Orponen, U. Schöning, O. Watanabe*
Instance Complexity
- 91-02* *K. Gladitz, H. Fassbender, H. Vogler*
Compiler-Based Implementation of Syntax-Directed Functional Programming
- 91-03* *Alfons Geser*
Relative Termination
- 91-04* *J. Köbler, U. Schöning, J. Toran*
Graph Isomorphism is low for PP
- 91-05 *Johannes Köbler, Thomas Thierauf*
Complexity Restricted Advice Functions
- 91-06* *Uwe Schöning*
Recent Highlights in Structural Complexity Theory
- 91-07* *F. Green, J. Köbler, J. Toran*
The Power of Middle Bit
- 91-08* *V. Arvind, Y. Han, L. Hamachandra, J. Köbler, A. Lozano,
M. Mundhenk, A. Ogiwara, U. Schöning, R. Silvestri, T. Thierauf*
Reductions for Sets of Low Information Content
- 92-01* *Vikraman Arvind, Johannes Köbler, Martin Mundhenk*
On Bounded Truth-Table and Conjunctive Reductions to Sparse and Tally
Sets
- 92-02* *Thomas Noll, Heiko Vogler*
Top-down Parsing with Simultaneous Evaluation of Noncircular Attribute
Grammars
- 92-03 *Fakultät für Informatik*
17. Workshop über Komplexitätstheorie, effiziente Algorithmen und Datenstrukturen
- 92-04* *V. Arvind, J. Köbler, M. Mundhenk*
Lowness and the Complexity of Sparse and Tally Descriptions
- 92-05* *Johannes Köbler*
Locating P/poly Optimally in the Extended Low Hierarchy
- 92-06* *Armin Kühnemann, Heiko Vogler*
Synthesized and inherited functions - a new computational model for syntax-
directed semantics
- 92-07* *Heinz Fassbender, Heiko Vogler*
A Universal Unification Algorithm Based on Unification-Driven Leftmost
Outermost Narrowing

- 92-08* *Uwe Schöning*
On Random Reductions from Sparse Sets to Tally Sets
- 92-09* *Hermann von Hasseln, Laura Martignon*
Consistency in Stochastic Network
- 92-10 *Michael Schmitt*
A Slightly Improved Upper Bound on the Size of Weights Sufficient to Represent Any Linearly Separable Boolean Function
- 92-11 *Johannes Köbler, Seinosuke Toda*
On the Power of Generalized MOD-Classes
- 92-12 *V. Arvind, J. Köbler, M. Mundhenk*
Reliable Reductions, High Sets and Low Sets
- 92-13 *Alfons Geser*
On a monotonic semantic path ordering
- 92-14* *Joost Engelfriet, Heiko Vogler*
The Translation Power of Top-Down Tree-To-Graph Transducers
- 93-01 *Alfred Lupper, Konrad Froitzheim*
AppleTalk Link Access Protocol basierend auf dem Abstract Personal Communications Manager
- 93-02 *M.H. Scholl, C. Laasch, C. Rich, H.-J. Schek, M. Tresch*
The COCOON Object Model
- 93-03 *Thomas Thierauf, Seinosuke Toda, Osamu Watanabe*
On Sets Bounded Truth-Table Reducible to P-selective Sets
- 93-04 *Jin-Yi Cai, Frederic Green, Thomas Thierauf*
On the Correlation of Symmetric Functions
- 93-05 *K.Kuhn, M.Reichert, M. Nathe, T. Beuter, C. Heinlein, P. Dadam*
A Conceptual Approach to an Open Hospital Information System
- 93-06 *Klaus Gafßner*
Rechnerunterstützung für die konzeptuelle Modellierung
- 93-07 *Ullrich Keßler, Peter Dadam*
Towards Customizable, Flexible Storage Structures for Complex Objects
- 94-01 *Michael Schmitt*
On the Complexity of Consistency Problems for Neurons with Binary Weights
- 94-02 *Armin Kühnemann, Heiko Vogler*
A Pumping Lemma for Output Languages of Attributed Tree Transducers
- 94-03 *Harry Buhrman, Jim Kadin, Thomas Thierauf*
On Functions Computable with Nonadaptive Queries to NP
- 94-04 *Heinz Faßbender, Heiko Vogler, Andrea Wedel*
Implementation of a Deterministic
Partial E-Unification Algorithm for Macro Tree Transducers

- 94-05 *V. Arvind, J. Köbler, R. Schuler*
On Helping and Interactive Proof Systems
- 94-06 *Christian Kalus, Peter Dadam*
Incorporating record subtyping into a relational data model
- 94-07 *Markus Tresch, Marc H. Scholl*
A Classification of Multi-Database Languages
- 94-08 *Friedrich von Henke, Harald Rueß*
Arbeitstreffen Typtheorie: Zusammenfassung der Beiträge
- 94-09 *F.W. von Henke, A. Dold, H. Rueß, D. Schwier, M. Strecker*
Construction and Deduction Methods for the Formal Development of Software
- 94-10 *Axel Dold*
Formalisierung schematischer Algorithmen
- 94-11 *Johannes Köbler, Osamu Watanabe*
New Collapse Consequences of NP Having Small Circuits
- 94-12 *Rainer Schuler*
On Average Polynomial Time
- 94-13 *Rainer Schuler, Osamu Watanabe*
Towards Average-Case Complexity Analysis of NP Optimization Problems
- 94-14 *Wolfram Schulte, Ton Vullinghs*
Linking Reactive Software to the X-Window System
- 94-15 *Alfred Lupper*
Namensverwaltung und Adressierung in Distributed Shared Memory-Systemen
- 94-16 *Robert Regn*
Verteilte Unix-Betriebssysteme
- 94-17 *Helmuth Partsch*
Again on Recognition and Parsing of Context-Free Grammars: Two Exercises in Transformational Programming
- 94-18 *Helmuth Partsch*
Transformational Development of Data-Parallel Algorithms: an Example
- 95-01 *Oleg Verbitsky*
On the Largest Common Subgraph Problem
- 95-02 *Uwe Schöning*
Complexity of Presburger Arithmetic with Fixed Quantifier Dimension
- 95-03 *Harry Buhrman, Thomas Thierauf*
The Complexity of Generating and Checking Proofs of Membership
- 95-04 *Rainer Schuler, Tomoyuki Yamakami*
Structural Average Case Complexity
- 95-05 *Klaus Achatz, Wolfram Schulte*
Architecture Independent Massive Parallelization of Divide-And-Conquer Algorithms
- 95-06 *Christoph Karg, Rainer Schuler*
Structure in Average Case Complexity
- 95-07 *P. Dadam, K. Kuhn, M. Reichert, T. Beuter, M. Nathe*
ADEPT: Ein integrierender Ansatz zur Entwicklung flexibler, zuverlässiger kooperierender Assistenzsysteme in klinischen Anwendungsumgebungen
- 95-08 *Jürgen Kehrer, Peter Schulthess*
Aufbereitung von gescannten Röntgenbildern zur filmlosen Diagnostik
- 95-09 *Hans-Jörg Burtschick, Wolfgang Lindner*
On Sets Turing Reducible to P-Selective Sets

Ulmer
Informatik-Berichte

ISSN 0939-5091

Herausgeber: Fakultät für Informatik

Universität Ulm, Oberer Eselsberg, D-89069 Ulm